

BenQ W2720i Home Theater Projector Specifications:

Display:

Projection System, DLP

Brightness, (2500 ANSI lumens)

Resolution, 4K UHD (3840×2160)

Native Aspect Ratio, 16:9

Contrast Ratio, (FOFO) (w/ Lightsource Dimming), 2,000,000:1

Display Color, 30-bit (1.07 billion colors)

Light Source, 4LED

**Light Source Life, Dynamic 20000 hrs, a. Normal 20000 hrs, b. ECO 30000 hrs
Optical**

Throw Ratio, 1.0 ~ 1.3

Zoom Ratio, 1.3x

Lens, F/# 1.8 - 1.85 mm, f 10.55 (Wide)~13.7(Tele)

Projection Offset (Full-Height), 100%

**Keystone Adjustment, 2D, (Auto) Vertical ± 30 degrees; Horizontal ± 30
degrees**

Lens Shift Vertical, Vertical ±5%

Picture, DCI-P3 Coverage 90% - Rec. 709 Coverage 98%

**Picture Modes, AI Cinema, HDR AI Cinema, 3D, Bright, Cinema, FILMMAKER
MODE, FILMMAKER MODE HDR, HDR Cinema, HDR10, HDR10+, HLG, ISF
Day, ISF Night**

**Input Lag, 12.8ms (1080P 120Hz), 6.5ms (1080P 240Hz), 17.9ms (1080P
60Hz), 17.9ms (4K 60Hz)**

Resolution Support, VGA (640 x 480) to 4K UHD (3840 x 2160)

Horizontal Frequency, 15K~270KHz

Vertical Scan Rate, 23~240Hz

I/O Interface:

HDMI in

HDMI-2 (HDCP2.3)

HDMI-3 (2.1/HDCP2.3)

USB Type A-2 (2.0/Power Supply1.5A/Reader/FW Upgrade)

USB Type A-3 (2.0/Power Supply2.5A)

USB Type. Mini B-1

RS232 in (DB-9pin)

DC 12V Trigger (3.5mm Jack)

Audio:

Speakers, (x2), 5W

Audio out (3.5mm Mini Jack) (x1)

HDMI Audio Return, Yes, eARC, Dolby Atmos

Power Supply, AC 100 to 240 V, 50/60 Hz

Typical Power Consumption (110V)

Max 241W, Normal 183W@220V, Eco 133W@220V

Stand-by Power Consumption, <0.5W

Acoustic Noise, (Typ./Eco.)(dB) 28/26 dBA

Accessories Included:

Android TV dongle QS02, (Standard)

Remote Control w/Battery RCI074

Power Cord

3D Glasses, optional

Lens cover, Yes

Dimensions (WxHxD) 16 1/2" x 5 5/8" x 12 1/8"

Net Weight, 14 1/4 lbs.



Value Electronics - BenQ Factory Direct Authorized Dealer

Phone: 914-723-3344 email: sales@valueelectronics.com